Scout Report sent out	☐
Noted in the NID File	☐
Location map pinned	☐
Approval or Disapproval Letter	☐
Date Completed, P. & A. or operations suspended	Prior OGCC
Pin changed on location map	☐
Affidavit and Record of A & P	☐
Water Shut-Off Test	☐
Gas-Oil Ratio Test	☐
Well Log Filed	☐

FILE NOTATIONS

Entered in N.I.D. File ✓

Entered on S.R. Sheet ✓

Location Map Pinned ✓

Card Indexed ✓

W.R. for State or Fee Land

Checked by Chief ✓

Copy N.I.D. to Field Office ✓

Approval Letter

Disapproval Letter

9-5-57

Location Inspected

Bond released

State of Fee Land

COMPLETION DATA:

Date Well Completed 9-5-57

OW X WW TA

GW OS PA

LOGS FILED

Driller's Log ✓

Electric Logs (No.) 1 2

E ✓ I E-I GR GR-N Micro ✓

Lat Mi-L Sonic Others

Budget Bureau No. 42 R358.1.
Approval expires 12-30-49.

Form 9-331 a
(March 1942)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

23

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

6-11-51

o

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL XX	SUBSEQUENT REPORT OF WATER SHUT-OFF .....
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING .....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING .....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR .....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT .....
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY .....
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver 1, Colorado, June 1, 19 51

Well No. 3 is located 660 ft. from [N/S] line and 2030 ft. from [E/W] line of sec. 23

SW¼SE¼ Sec. 23 (¼ Sec. and Sec. No.) 7S (Twp.) 23E (Range) SLBM (Meridian)

Red Wash (Field) Uintah (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft. (Est)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a test for oil into top of Wasatch zone, with completion in Green River formation. The proposed casing program is:

16" O.D. Conductor casing @ approx. 40', cemented to surface
10-3/4" O.D. Surface casing @ approx. 800', cemented to surface
7" O.D. Oil string casing at top of "pay zone" in Green River formation, estimated @ 5210'. Sufficient cement will be used to cement off any potential oil or gas sand up the hole.

Estimated top of Wasatch @ 5515'
Estimated total depth 5550'.

(SEE ATTACHED RIDER FOR APPROVAL)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver, Colorado

By [signature]

Title Division Operations Mgr.

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331a
(March 1942)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake

Lease No. U-082

Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
JUN 27 1951
GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver, Colorado, June 25, 19 51

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼SE¼ Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft. (Est)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

June 18 through June 24

Drilled 850-2805 Sandy Shale.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver 1, Colorado

By C F Puckett

Title Division Operating Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8427-3

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-881a
(March 1942)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
JUN 27 1951
GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver, Colorado, June 25, 1951

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼SE¼ Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft. (Est.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

June 12 through June 17
Contractor: Loffland Bros. Co., spudded 6/12/51
Drilled 0-71' sandstone. Ran and cemented 16" casing at 60', used 45 sacks cement.
Drilled 71-295' sand and shale.
295-570' shale.
570-850' sandy shale. Ran 10-3/4" casing, cemented at 828' with 385 sacks cement, 3 centralizers near bottom.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver 1, Colorado

By C. H. Puckett

Title Division Operating Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-3

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331 a
(March 1948)

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
JUL 6 - 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver 1, Colorad, July 2, 19 51

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼SE¼ Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBm (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft. (est)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

June 25 through July 1, 1951

2805-2945' sand and shale
2945-3096' sand and shale. Repeatedly lost circulation; now drilling with full returns.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address P. O. BOX 780

Denver 1, Colorado

By C K Pickett

Title DIVISION OPERATING SUPT.

U. S. GOVERNMENT PRINTING OFFICE 16-8487-3

Budget Bureau 42-R356.2.
Approval expires 12-31-52.

Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

23
O

JUL 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of Setting Surface Casing X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado July 6, 19 51

Well No. 3 is located 660 ft. from {N/S} line and 1980 ft. from {E/W} line of sec. 23

SW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 10-3/4" OD, J-55, 40.5#, R3, 8 rd. thd. National tube casing to 828' from the kelley bushing. Cemented with 385 sacks common cement. Halliburton process top and bottom plugs. Baker float shoe and float collar ran 81' apart and ran 3 Baker centralizers at 882, 779, and 734'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address RANGELY, COLORADO

C. A. Hauptman

By M. M. GRANT

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8457-4

Budget Bureau 42-R358.4
Approval expires 12-31-52.

Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

23
O

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of Setting Conductor Casing x

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado July 6 19 51

Well No. 3 is located 660 ft. from {N/S} line and 1980 ft. from {E/W} line of sec. 23

SW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLPM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 16" O.D. 6.5#, H-40, 8 rd th National tube casing at 59.91' from Kelley bushing. Cemented with 45 sacks common cement Halliburton process, top and bottom plugs, left 10' of cement in casing. Had good cement returns. Beveled casing collar on bottom as guide shoe.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address RANGELY, COLORADO

By [illegible]

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331 a
(March 1942)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
JUL 12 1951
GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver 1, Colorado, July 10, 19 51

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼SE¼ Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft. (est)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

July 2 through July 8
Drilled 3096-3252' - sand and shale.
Drilled 3252-3265' - sand.
Drilled 3265-3715 - sand and shale.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver 1, Colorado

By C L Pickett

Title Division Operating Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-2

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331 a
(March 1942)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. U-082

Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
JUL 17 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver 1, Colorado, July 16, 19 51

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼SE¼ Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft. (est)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

July 9 through July 15

Drilled 3715-4573' shale.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver 1, Colorado

By P. Locke
FWM

Title Division Operating Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-3

Form 9-331 a
(Feb. 1951)

Budget Bureau 42-R358.2.
Approval expires 12-31-52.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

AUG 9 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Subsequent Report of DST #1	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado July 17, 1951

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼ SE¼, Sec. 23 (¼ Sec. and Sec. No.) T7S (Twp.) R23E (Range) SLBM (Meridian)

Red Wash (Field) Uintah (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #1 - TD 4730. 9" hole - set HOWCO packer at 4698'. No BHC no water cushion. Tool open for 60 min. shut in for 15 min. Recovered 120' rat hole mud. FBHP 60 - 80 psi, SIBHP 135 psi., Hy. Hd. 2195 psi.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address RANGELY, COLORADO

Approved AUG 9 - 1951

C. A. Hauptman
District Engineer

By M. W. GRANT

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8687-4

Form 9-331 a
(Feb. 1951)

23
O

Budget Bureau 42-R358.4
Approval expires 12-31-52.

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office U062
Lease No. Red Wash
Unit

AUG - 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		Subsequent Report of DST #2	X
NOTICE OF INTENTION TO ABANDON WELL		SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado July 23, 1951

Well No. 3 is located 660 ft. from {N} line and 1111 ft. from {E} line of sec. 2030 23

SW. NW. Sec 23 (¼ Sec. and Sec. No.) 7S (Twp.) 103W (Range) Utah (Meridian)

Red Wash (Field) Uintah (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ..... ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #2 - TD 5272 - 6¼" rat hole 5250' - 5272' RTTS HOWCO 8" packer set at 5232'. No BHC no water cushion. Tool open for 90 min. shut in for 30 min. Good blow gas to surface in 37 min. Recovered 220' oil and 216' mud cut oil. Mud cut varied from 10% to 60%. Gravity of oil 25° API at 60° F. FBHP 140 psi. - 170 psi., SIBHP 1090 psi, Hy. Hd. 2565 psi.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CARTER OIL COMPANY
RANGELY, COLORADO

Address .....

AUG 9 - 1951
Approved .....
C. A. Hauptman
District Engineer

W. W. GRANT
By Field Supt.
Title .....

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Form 9-331 a
(March 1942)

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City
Lease No. U-082
Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver 1, Colorado, July 24, 19 51

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼SE¼ Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft. (Est)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

July 16 through July 23
Drilled 4573-4770' sand and shale
DST #1 - tested interval 4698-4738'. Recovered 120' rat hole mud. No show.
Drilled 4770-5230' sand and shale
Cored 5230-5238' marlstone

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver 1, Colorado

By C L Ficketts

Title Division Operating Supt.

U. S. GOVERNMENT PRINTING OFFICE 16 84877-3

Budget Bureau 42-R358.2.
Approval expires 12-31-52.

Form 9-331a
(Feb. 1951)

23
O

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

RECEIVED
AUG 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Subsequent Report of DST #6	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado July 27, 1951, 19

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼ SE¼ Sec. 23 (¼ Sec. and Sec. No.) | T7S (Twp.) | R23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #6 - TD 5292. 9" hole. Set HOWCO 8" packer at 5274'. No BHC no water cushion. Tool open one hour, shut in 30 min. No gas to surface. Recovered 280' rat hole mud cut with dead oil. No gas in oil cut mud. FBHP - 60# - 120#, SIBHP - 1670#, Hyd. Hd. 2460#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address Rangely, Colorado

AUG
Washington

By M. A. Grant

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-84377-4

Budget Bureau 42-R358.2.
Approval expires 12-31-52.

Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake
Lease No. U-062
Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

AUG - 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Subsequent Report of DST #5	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado July 27, 1951

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) | T7S (Twp.) | R23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #5 - TD 5292' - 9" hole. Set HOWCO 8" packer at 5272'. No BHC no water cushion. Opened tool for 30 min., shut in 15 min. Had gentle blow when opened, died in 20 min. Recovered 20' rat hole mud. Tool plugged off. SIBHP 1900#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address RANGELY, COLORADO

Approved AUG - 1951

O. A. Hauptman
District Engineer

By M. W. GRANT

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Form 9-331 a
(Feb. 1951)

Budget Bureau 42-R358.2.
Approval expires 12-31-60.

23

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

AUG 3 - 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Subsequent Report of DST #4	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado July 27, 1951, 19

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

NW¼ SW¼ Sec. 23 (¼ Sec. and Sec. No.) T7S (Twp.) R23E (Range) SLBM (Meridian)

Red Wash (Field) Uintah (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #4 - TD 5292' - Ran HOWCO packer to test interval from 5272' - 5292', but tool would not go to bottom. Pulled same.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address Rangely, Colorado

Approved AUG 3 - 1951

C. W. Haughtaman
District Engineer

By M. W. Grant

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Form 9-331 a
(Feb. 1961)

Budget Bureau 42-R358.2.
Approval expires 12-31-62.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

AUG [illegible] 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Subsequent Report of DST #3	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado July 27, 1951
(Place) (Date)

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

[illegible] Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | R23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #3 - TD 5292 - 6¼" rat hole 5238' - 5292'. Ran HOWCO 8" packer at 5198'. No BHC no water cushion. Tool open for one hour - shut in for 30 min. Had gas to surface in 30 min. No oil to surface. Gas volume on 1" choke with 225# well head pressure was 7,450 MCF. Recovered 2 gal. 45° API gravity oil. FBHP - 990# - 1160#, SIBHP 1755, Hyd. Hd. 2125.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address Rangely, Colorado

Approved AUG [illegible] 1951

C. Stamptsman
District Engineer

By M. W. Grant

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331a
(March 1948)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver 1, Colorado, July 30, 19 51

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) | T7S (Twp.) | R23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

July 23 through July 29
Cored 5238-5272' - marlstone, siltstone, limestone and sandstone.
DST #2 5232-5272' recovered 220' pure oil, 276' mud cut oil,
Cored 5272-5292' limestone and sandstone. Ran Schlumberger to 5292'.
DST #3 5198-5292' recovered 2 gallons 45° corrected gravity oil.
DST #4 5252-5292' recovered 90' rat hole mud.
DST #5 5272-5292' recovered 30' rat hole mud.
DST #6 5274-5292' recovered 280' rat hole mud with dead oil.
DST #7 5303-5342' recovered 2500' of oil and 90' of oil cut rat hole mud.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company
Address P. O. Box 780
Denver 1, Colorado

By C. L. Pickett
Title Division Operating Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8427-3

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331a
(March 1948)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
AUG 3 - 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of DST #7 X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colo. Aug. 4, 1951, 19

Well No. Unit #3 is located 660 ft. from // {N / S} line and 2030 ft. from // {E / W} line of sec. 23

SW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) | T7S (Twp.) | R23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #7 - TD 5342 - 6¼" rathole 5292 to 5342, test interval 5303 - 5342, HOWCO 5½" packer no BHC. No water cushion. Tool open one hour shut in 30 min. Gas to surface in 4 min. Made 400,000 cu. ft. gas on 1" choke with 6# surface pressure. Had 2500' oil and 90' rat hole mud cut with oil. Gravity of oil 30.2° API. FBHP - 310 - 620#, SIBHP 1820#, H.H. 2525#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address RANGELY, COLORADO

Approved AUG 3 - 1951

District Engineer

By M. W. GRANT

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8427-3

Form [illegible]

[illegible] Bureau No. 42-R355.1.
[illegible] expires 11-30-49.

U. S. Land Office Salt Lake City
Serial Number U-082
Lease or Permit to Prospect Red Wash



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
SEP 17 1951
[illegible]

LOG OF OIL OR GAS WELL

Company The California Company Address Box 780, Denver, Colorado

Lessor or Tract Red Wash Unit Field Red Wash State Utah

Well No. 3 Sec. 23 T. 7S R. 23E Meridian SLBM County Uintah

Location 660 ft. {N./S.} of S Line and 2030 ft. {E./W.} of E Line of Sec. 23 Elevation 5575'
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed C. K. Preston

Date September 10, 1951 Title Division Operating Supt.

The summary on this page is for the condition of the well at above date.

Commenced drilling June 6, ?, 19 51 Finished drilling August 7, 19 51

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5265 to 5565 No. 4, from [illegible] to [illegible]

No. 2, from [illegible] to [illegible] No. 5, from [illegible] to [illegible]

No. 3, from [illegible] to [illegible] No. 6, from [illegible] to [illegible]

IMPORTANT WATER SANDS

No. 1, from [illegible] to [illegible] No. 3, from [illegible] to [illegible]

No. 2, from [illegible] to [illegible] No. 4, from [illegible] to [illegible]

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated From—	Perforated To—	Purpose
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
16"	60'	45	Howco		
10-3/4"	888'	385	Howco		
7"	5563'	441 cubic feet	Howco		

PLUGS AND ADAPTERS

Heaving plug—Material [illegible] Length [illegible] Depth set [illegible]

Adapters—Material [illegible] Size [illegible]

FOLD | MARK

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to T.D. 5565 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

DATES

September 10, 1951 Put to pumping producing September 5, 1951

The production for the first 24 hours was 95 barrels of fluid of which 99.8 % was oil; .2 % emulsion; % water; and % sediment. Gravity, °Bé. 28.9° @ 60° F

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

Jesse R. York, Driller Frank L. Michl, Driller

Frank C. Michl, Driller , Driller

FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION
0	1738	1738	Sand and shale
1738	2174	436	Shale
2174	2356	182	Sand and shale
2356	2475	119	Shale
2475	2907	432	Sand and shale
2907	2945	38	Shale
2945	3147	202	Sand and shale
3147	3163	16	Shale
3163	3273	110	Sand and shale
3273	3755	482	Sand and lime
3755	3794	39	Sand, shale, and lime
3794	3818	24	Shale
3818	4349	531	Sand and shale
4349	4390	41	Sand, shale, and lime
4390	4534	144	Sand and shale
4534	4654	120	Shale
4654	4738	84	Sand, shale and lime
4738	5565	827	Sand and shale

FROM- TO- TOTAL FEET

(over)

FORMATION RECORD

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331a
(March 1942)

Land Office Salt Lake

Lease No. U-082

Unit Red Wash

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

AUG 10 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver, Colorado, August 7, 19 51

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) | T7S (Twp.) | R23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

July 30 through August 5
Cored 5342-5464' Sandstone and Marlstone
Cored 5464-5496' Marlstone, limestone, sandstone, siltstone
Cored 5496-5545' Sandstone, marlstone.
DST #8 5457-5496' Recovered 616' of oil cut mud - 20 percent mud.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver 1, Colorado

By C. F. Tickett

Title Division Operating Supt.

Budget Bureau 42-R358.2.
Approval expires 12-31-52.

Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City
Lease No. U-082
Unit Red Wash

	23	
		o

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

AUG 29 1951

AUG 29 1951

RECEIVED
AUG 15 1951
VERNAL, UTAH

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
" " " " Perforate Casing	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado 8-11, 19 51

Well No. Unit 3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SE¼, Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLPM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

A production string of casing, 7", was set at 5563'. It is planned to perforate the casing from 5290' to 5313', Schlumberger log measurements, with 6 - 9/16" bullets per foot, in order to open that interval for production.

and 5340' - 50'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address RANGELY, COLORADO

Approved AUG 29 1951

C. A. Haufman
District Engineer

By M. W. Grant

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-84327-4

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331 a
(March 1942)

Land Office Salt Lake City

Lease No. U-082

Unit Red Wash

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
AUG 17 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver, Colorado, August 13, 19 51

Well No. Unit #3 is located 660 ft. from XXX {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) | T7S (Twp.) | R23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

August 6 through August 12

DST #9 5501-5545' recovered about one gallon high gravity oil or distillate.
DST #10 5523-5545' recovered 120' gas and oil cut mud
Cored 5545-5565' recovered marlstone and sandstone
Ran Schlumberger, MicroLog, Electric Log, Temperature and Caliper Surveys to 5565'
Ran 7" Casing to 5563' and cemented with 178 cubic feet of stratacrete.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver 1, Colorado

By C. K. Lockett

Title Division Operating Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8197-2

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331a
(March 1942)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake
Lease No. U-082
Unit Red Wash



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
AUG 20 1951
GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

ORIGINAL FORM FOR CASPER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Subsequent Report of DST #3	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado Aug. 16th, 1951

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

NW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) T7S (Twp.) R23E (Range) SLBM (Meridian)

Red Wash (Field) Uintah (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #3 - TD 5496', 6¼" rathole 5442' - 96'. Test interval 5457' - 96'. HOWCO 5½" packer, no BHC no water cushion. Tool open one hour shut in 30 min. Had gas to surface but not enough to measure. Recovered 516' oil with rat hole mud mixed in. Gravity 26° API, FHIP 135 - 205#, SIBHP 1960#, and H.H. 2550#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address RANGELY, COLORADO

Approved AUG
C. A. Hauptman
District Engineer

By M. V. Grant
Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE

Budget Bureau No. 42-R358.1.
Approval expires 11-30-49.

Form 9-331a
(March 1948)

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

AUG 2 3 1951

RECEIVED
AUG 21 1951
GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Subsequent Report of DST #9	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colo. Aug. 16, 1951, 19

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼, SW¼, Sec. 23 (¼ Sec. and Sec. No.) | T7S (Twp.) | R23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #9 TD 5545 - 6¼" rathole 5496' - 5545'. Test interval 5501' - 5545'. HOWCO 5½" packer, no BHC no water cushion. Tool open 65 min, shut in 30 min. Well made 8,260 MCF on 1" choke with 650# well head pressure. Blew all mud out of hole. FHHP 4254 - 1465#, SIBHP 2080#, H.H. 2650#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address RANGELY, COLORADO

Approved AUG 2 3 1951

C. A. Hauptmann
District Engineer

By M. W. GRANT

Title FIELD SUPT.

U. S. GOVERNMENT PRINTING OFFICE 16-3487-8

Budget Bureau 42-R358.2.
Approval expires 12-31-52.

Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. U-062

Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
AUG 23 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver, Colorado, August 21, 1951

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

August 13 through August 19

Drilled out cement to 5555'. Ran Lane-Wells Gamma Ray-Neutron logs.
Perforated casing 5290-5313' and 5340-5350', Schlumberger measurement with 6 holes per ft. Ran 2⅞" tubing with gas anchor and PSN to 5295'.
Installed tree. Displaced mud with Rangely crude. Swabbed 13 hours, made 147 bbls of oil, all Rangely crude, and a little mud. FL 2100, pulling from 2400.
August 15 - swabbed 229 barrels of oil, cutting 12 to 14 percent mud, fluid level 4900'.
August 16 - swabbed 8 barrels of oil in 12 hours from 5200', fluid level 5025. Filled tubing and annulus with Red Wash crude, then squeezed with 200 barrels crude with two Howco trucks. Initial pressure 3000#, broke back to 2200# and remained throughout. Pumping rate 2¼ barrels per minute. Started swabbing 2:30 A.M., re-

(over)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver 1, Colorado

By C. L. Pickett

Title Division Operating Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

covered 100 barrels of oil in 5 hours. Fluid level 2400', swabbing from 3100'. Now shut in, preparing to move the rig. Will install pumping unit.

Budget Bureau 42-R358.4
Approval expires 12-31-52.

Form 9-331a
(Feb. 1951)

Land Office Salt Lake
Lease No. U-062
Unit Red Wash

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
AUG 29 1951
U. S. GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY Subsequent Report of DST #10	X
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado, August 24, 1951, 19____

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼ SE¼, Sec. 23 — (¼ Sec. and Sec. No.)
T7S — (Twp.)
R23E — (Range)
SLBM — (Meridian)
Red Wash — (Field)
Uintah — (County or Subdivision)
Utah — (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #10 TD 5545'. 6¼" rathole 5496 - 5515 set, HOWCO packer at 5523. No BHC, no water cushion. Tool open 60 min., shut in 30 min. Had gas to surface in 17 min. Not enough to measure. No surface pressure. Recovered 120' rat hole mud cut with 10% - 40% oil. FBHP 25 - 50 psi., SIBHP 1455 psi., H.H. 2580 psi.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address Rangely, Colorado

AUG 29 1951

By M. A. GRANT

Title FIELD SUPT.

C. Stangeland
District Engineer

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Budget Bureau 42-R358.2.
Approval expires 12-31-52.

Form 9-331 a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. U-082

Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
AUG 31 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver, Colorado, August 27, 19 51

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼, SE¼, Sec. 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

August 20 through August 25

Moved out rig. Installed pumping equipment.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 780

Denver 1, Colorado

By C. L. Luckett Jr.

Title Division Operating Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Budget Bureau 42-R358.5
Approval expires 12-31-60.

Form 9-331a
(Feb. 1951)

23

0

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

ORIGINAL FORM TO BE FILED

Land Office Salt Lake
Lease No. U-062
Unit [redacted]

RECEIVED
SEP 7 - 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of Casing Setting X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado, Sept. 7, 19 51

Well No. Rangely #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW 1/4 SE 1/4 Sec. 23 (1/4 Sec. and Sec. No.) T7S (Twp.) R 23E (Range) Sixth (Meridian)

Rangely (Field) Rio Blanco (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 7" OD Smls, thd, 23#, J-55 New Nat'l Tube casing to 5563', and cemented with 365 Cu. ft. cement and strata Crete (1:1 Mixture) with 4% gel added and 5% sacks of neat slo-set cement, Halliburton process, top and bottom plugs.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address Rangely, Colorado

Approved SEP 10 1951

C. A. Stapleman
District Engineer

By W. F. Grant

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8457-4

Budget Bureau 42-R358.4
Approval expires 12-31-60.

Form 9-331 a
(Feb. 1961)



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-082
Unit Red Wash



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Subsequent Report of Oil Squeeze	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado, September 2, 1951

Well No. Unit #3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW 1/4 SW 1/4 (¼ sec. and sec. no.) Sec. 23 (Twp.) T 7S (Range) R23E (Meridian) SLBM

Red Wash (Field) Uintah (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Squeezed 200 Bbls. of Red Wash crude int the formation from 5290 to 5313 and 5340 to 5350 W/2200# pressure. Break down pressure 3000# pumped into formation at rate of 2.22 BBls/min.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Budget Bureau 42-R358.4
Approval expires 12-31-52

Form 9-331 a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City
Lease No. U-082
Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
SEP 1 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Weekly Progress Report	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Denver 1, Colorado, September 5, 1951

Well No. Unit #3 is located 660 ft. from (N) (S) line and 2030 ft. from (E) (W) line of sec. 23

SW¼ SE¼ Sec. 23 — T 7S R 23E — SLBM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Red Wash — Uintah — Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

August 25 through September 2

Started pumping August 25. Produced 108 barrels in first 19 hours on 14 x 64" stroke. Pump set at 5721'.

Company

Address

Budget Bureau 42-R358.8.
Approval expires 12-31-52.

Form 9-331a
(Feb. 1961)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake

Lease No. U-082

Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SEP 1 1951

RECEIVED
SEP 11 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado, Sept. 6, 1951

Well No. Unit #3 is located 660 ft. from [N/S] line and 2030 ft. from [E/W] line of sec. 23

NW¼ SW¼ Sec. 23 (¼ Sec. and Sec. No.) | T7S (Twp.) | R23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforate 7" casing with Lane Wells conventional type bullets by Schlumberger measure from 5290 - 5313 with 138 bullets and from 5340 - 50 with 60 bullets.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY

Address Rangely, Colorado

SEP 1 1951

By M. W. CHAMBERLAIN
Field Supt.

Title

District Engineer

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Form 9-331 a
(Feb. 1951)

Budget Bureau 42-R[illegible]
Approval expires 12-31-[illegible]

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

		23			
				o	

RECEIVED
NOV 29 1951
U. S. OIL & GAS BR.
GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

NOV 30 1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Rangely, Colorado, November 19, 1951

Well No. [illegible] is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

[illegible] Sec. 23 — 7S (Twp.) — R23E (Range) — SLBM (Meridian)
(¼ Sec. and Sec. No.)

Red Wash (Field) — Uintah (County or Subdivision) — Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Acidized perforated zone, 5290' - 5323' and 5340' - 5350', with 1000 gallons wash acid followed with 2000 gallons mud acid.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address Rangely, Colorado

Approved NOV [illegible]

C A Hauptman
District Engineer

By M. W. Grant *M W Grant*

Title Field Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Form 9-331a
(Feb. 1951)

Budget Bureau 42-R358.3.
Approval expires 12-31-55.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U-082
Unit Red Wash

Notice
Cont
4-9-57

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
Notice of Intention to Perforate & Sand Oil Squeeze	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah, March 29, 19 57

Well No. 3 is located 660 ft. from {N/S} line and 2030 ft. from {E/W} line of sec. 23

SW¼ SW¼ 23 (¼ Sec. and Sec. No.) T 7 S (Twp.) R 23 E (Range) SLBM (Meridian)

Red Wash (Field) Uintah (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5575 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to Braidwood sand oil squeeze perforated intervals 5290-5313 and 5340-5350'. Also it is proposed to perforate and sand oil squeeze intervals 5255-5282 and 5260-5275'.

There will be no change in the tubing string.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil Company of California, Western Operations, Inc.

Address P. O. Box 455

Vernal, Utah

By J. T. [illegible]

Title District Superintendent

U. S. GOVERNMENT PRINTING OFFICE 16—8437-5

COMPLETION REPORT

STANDARD OIL COMPANY OF CALIFORNIA

I think we need a new file for this well card

FIELD: Red Wash PROPERTY: Section 23B

WELL NO: 3 Sec. 23 T. 7S R. 23E SL B. & M.

Following is complete and correct record of all work done on the well since the previous record dated April 12, 1952.

PURPOSE OF WORK: To expose additional intervals and sand oil squeeze for greater productivity.

DATE OF REPORT: August 13, 1958

BY C. V. CHATTERTON
DISTRICT SUPERINTENDENT

WORK DONE BY: R&R Well Service

COMMENCED OPERATIONS: April 8, 1957 COMPLETED OPERATIONS: April 25, 1957

DATE WELL LAST PRODUCED: February, 1955 DATE RETURNED TO PRODUCTION: April 28, 1957

PRODUCTION:	PRIOR TO WORK		AFTER WORK	
Oil	11	B/D	146	B/D
Water	0	B/D	2	B/D
Gas	121	Mcf/D	161	Mcf/D
Gravity	29.0	°API	29.0	°API
Tubing	150	PSIG	150	PSIG
Casing	150	PSIG	600	PSIG
Method of Production: Pumping	X		X	
Flowing				
Gas Lift				

SUMMARY

Total Depth: 5565' Effective Depth: 5555'

Casing: 10 3/4", 40.5#, J-55 cemented 828'
7", 23#, J-55 cemented 5563'
Perforated 6 bullets per foot:
5290-5313', 5340-5350'
Perforated 3 jets and 3 bullets per foot:
5455-5482', 5260-5275'

Tubing:	
5358.79	171 jts 2½" EUE tubing
1.10	2½" Axelson PSN
10.02	2½" x 10' tubing sub
30.02	2½" perforated gas anchor
16.95	Original K.B. to tubing head
5416.88	Tubing landed

(2)

Pro-319 (1M-4-57)
Printed in U.S.A.

WELL NO.: Red Wash Unit 3 PROPERTY: Section 23B RED WASH UNIT

HISTORY

Subject well was completed in August, 1951, exposing approximately 12' of effective sand with a total of 4400 millidarcy feet. The well has never demonstrated the productivity indicated by core analyses or the formation test, which resulted in recovery of 2500' of oil in 90 minutes. In less than 3 months production had declined to 55 B/D. Stimulation attempts included reperforating with formation jets, acidizing, and squeezing with Halliburton Morflo. The well was shut in February, 1955, after declining to 11 B/D oil and 121 MCF/D gas. Cumulative production is approximately 25,00 bbls oil and 91,000 MCF gas.

The well has not been sand oil squeezed. We believe that this treatment will result in a commercial well without an excessively high gas oil ratio. In addition, there are two intervals with a net 10' of effective sand which, based on cores and formation test, should, with sand oil squeezing, contribute substantially.

It is proposed to sand oil squeeze the intervals presently exposed, perforate and sand oil squeeze the intervals 5260-5275' and 5455-5482' and return the well to production.

PROGRAM

1. Move in workover rig.

2. Sand oil squeeze perforated intervals 5290-5313' and 5340-5350' by Braden head method as follows: (using one Dowell Allison pumper or equivalent)

   a. Pump in at least 10 bbls burner fuel containing no sand, test breakdown.

   b. Pump in 3000 gals burner fuel containing a maximum of 1½#/gal sand. Base sand concentration on breakdown pressure.

   c. Limit pressure to 2500 psi if feasible. Do not exceed 2900 psi. If it appears that formation will not take fluid at a minimum rate of 8 bbls per minute within above pressure limitations proceed with item 4 and selectively sand oil squeeze the presently exposed zones thru tubing after additional perforating is done.

   d. Displace sand oil mix with 200 bbls burner fuel.

3. Run bit or clean out shoe and wash out sand to about 5550'.

4. Perforate three jet and three bullet holes per foot opposite Schlumberger intervals 5455-5482' and 5260-5275'.

   a. Run magnetic collar locator and check location of present perforations in conjuction with above operations.

5. Run casing scraper and scrape perforated intervals including original perforations.

6. Run Baker retrievable bridge plug and full bore cementer on tubing. Set bridge plug at about 5495', cementer at about 5440' and sand oil squeeze perforated interval 5455-5482' using 20-40 Ottawa sand. Base sand concentration on breakdown test. Displace sand oil with burner fuel.

WELL.: Red Wash Unit 3 PROPERTY: Section 23B RED WASH UNIT

7. Set retrievable bridge plug at 5285', full bore cementer about 5245' and sand oil squeeze interval 5260-5275' using 2000 gals burner fuel with maximum of 1½#/gal sand.

8. Run 2½" tubing as before. Land at about 5520'.

9. Run pump and rods and return well to production.

WORK DONE

April 8, 1957

R&R Well Service moved in and rigged up.
Started operations 4/11/57.

April 12, 1957

Circulated Rangely crude and pulled rods.
Installed BOPE
Tagged bottom (5555') with tubing then pulled tubing.

April 13, 1957

Sand oil squeezed, Braden head method, perforated intervals 5290-5313' and 5340-5350'. Used Dowell and one Allison pumper. Squeezed with 3024 gals burner fuel mixed with 1½#/gal 20-40 Ottawa sand (total sand used 4500 lbs) preceded with 10 bbls burner fuel. Average injection rate 11.2 BPM. Broke down formation 1450 to 1700 psi. Maximum pressure 1675 psi. Minimum pressure 1450 psi.

April 14, 1957

McCullough perforated intervals 5260-5275' and 5455-5482' (Schlumberger measurement).

April 15, 1957

Run casing scraper to 5000'.
Installed retrievable bridge plug and full bore cementer.

April 16, 1957

Sand oil squeezed down tubing perforated intervals 5455-5482'. Used Dowell. Squeezed with 2000 gals burner fuel mixed with 1#/gal 20-40 Ottawa sand (total sand used 2000 lbs). Broke down formation with 3800 psi. Average injection rate 2.8 BPM. Maximum pressure 3800 psi. Minimum pressure 3700 psi.

April 17, 1957

Attempted to sand squeeze interval 5260-5275'. Sanded out after pumping 21 bbls. Ten bbls burner fuel and 11 bbls sand and oil. 1/2 lbs per gallon.

WELL NO.: Red Wash Unit 3 PROPERTY: Section 23B RED WASH UNIT

April 24, 1957

Ran completion tubing string, pump, and rods.

April 25, 1957

Moved rig out.

R. D. LOCKE

Form 9-331a
(Feb. 1951)

Budget Bureau No. 42-R358.4.
Approval expires 12-31-60.

Land Office Salt Lake City
Lease No. U-022
Unit Red Wash

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	X	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah February 28, 1961

Well No. (3) 14-23B is located 660 ft. from {N/S} line and 2080 ft. from {E/W} line of sec. 23

SW 1/4 SE 1/4 Sec. 23 (1/4 Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the Kelly Bushing above sea level is 5611 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Sand-oil frac interval 5455-5482'.
Set bridge plug at 5365', cement retainer at 5325' and seal interval 5340-5350' with cement.
Sand-oil frac intervals 5260-5275' and 5290-5313'.
Set bridge plug at 5000'. Shoot six 1/2" bullet holes at 4940' and test water shut-off.
Shoot four 1/2" jet holes per foot 4964-4968' and test to determine if commercial oil production is indicated.
If commercial oil production is indicated, sand-oil frac interval 4964-4968'; otherwise, seal holes with cement.
Drill out bridge plugs and clean out to 5555'.
Return well to production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455

Vernal, Utah

By C. V. CHATTERTON 3/2/61

Title District Superintendent

cc: USGS, SLC-3; Ohio CC-1; Gulf-1; Caulkins-1; LCB III-1; File-1

GPO 862040

Form 9-331a
(Feb. 1951)

Budget Bureau No. 42-R358.4.
Approval expires 12-31-60.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-082
Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah May 16, 1961

Well No. (3) 34-23B is located 660 ft. from {N/S} line and 2080 ft. from {E/W} line of sec. 23

SW SE 23 (¼ Sec. and Sec. No.) | 7S (Twp.) | 23E (Range) | SLBM (Meridian)

Red Wash (Field) | Uintah (County or Subdivision) | Utah (State or Territory)

The elevation of the ~~derrick floor~~ Kelly bushing above sea level is 5611 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Cut vertically opposed notches 5464-5466' and 5476-5478'. Sand-oil fraced interval 5455-5482'. Squeezed perf'd interval 5340-5350' with 82 sacks Latex cement.

Cut vertically opposed notches 5267-5269', 5291-5293' and 5307-5309'. Sand-oil fraced notches 5267-5269', 5291-5293' and 5307-5309'.

Shot 6 - 1/2" bullet holes 4940-4941'; 4 - 1/2" jet holes/ft 4964-4968'.

Cut opposed vertical notches 4964-4968'. Sand-oil fraced interval 4964-4968'.
Drilled out cement retainers and cleaned out to 5555'.
Production prior to work: well shut in, February 1955.
Production after work: 137 B/D oil, 45 B/D water, 319 M/D gas.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455,

Vernal, Utah

By R. L. GREEN

Title Division Superintendent

USGS, SLC-3; OGCC, SLC-1; Gulf-Denver-1; Gulf, SLC-1; Caulkins-1; UCS III-1; File-2

GPO 862040

Form 9-331
(May 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.: U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL [X] GAS WELL [ ] OTHER

7. UNIT AGREEMENT NAME: Red Wash

2. NAME OF OPERATOR: Chevron Oil Company - Western Division

8. FARM OR LEASE NAME: Red Wash Unit

3. ADDRESS OF OPERATOR: P. O. Box 599, Denver, Colorado 80201

9. WELL NO.: 83 (34-23B)

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface: 660' FSL & 2080' FEL (SW-1/4 SE-1/4)

10. FIELD AND POOL, OR WILDCAT: Red Wash Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA: Sec. 23, T7S, R23E, SLBM

14. PERMIT NO.:

15. ELEVATIONS (Show whether DF, RT, GR, etc.): KB 5611'

12. COUNTY OR PARISH: Uintah

13. STATE: Utah

16. **Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data**

NOTICE OF INTENTION TO:				SUBSEQUENT REPORT OF:			
TEST WATER SHUT-OFF	[ ]	PULL OR ALTER CASING	[ ]	WATER SHUT-OFF	[ ]	REPAIRING WELL	[ ]
FRACTURE TREAT	[ ]	MULTIPLE COMPLETE	[ ]	FRACTURE TREATMENT	[ ]	ALTERING CASING	[ ]
SHOOT OR ACIDIZE	[ ]	ABANDON*	[ ]	SHOOTING OR ACIDIZING	[ ]	ABANDONMENT*	[ ]
REPAIR WELL	[ ]	CHANGE PLANS	[ ]				
(Other) Expose Additional Sands			[X]	(Other)			[ ]

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

See the attached procedure:

18. I hereby certify that the foregoing is true and correct

SIGNED: Original Signed By J. W. GREER — TITLE: J. W. Greer, Drilling Superintendent — DATE: 1/24/73

(This space for Federal or State office use)

APPROVED BY: R. A. Daniels — TITLE: DISTRICT ENGINEER — DATE: [illegible]

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

P2680
RWU #3 (34-23B)

PROCEDURE:

1. MIR. Hot oil annulus w/250 bbls. RC. Unseat pump and flush tubing w/50 bbls. RC. POOH w/pump and rods. ND wellhead, NU BOPE, and tag bottom and SLM w/tubing.

2. Clean out to 5555' PBTD w/sand pump.

3. Perforate the following intervals w/2 jets/ft. (hi-performance):

   5537'-41', 5486'-91', 5439'-43', 5424'-26', 5409'-15', 5400'-04', 5340'-49', & 5330'-37'. Tag all shots w/radioactive pips. Run gamma ray log through perfed interval after perfing.

4. RIH w/RBP and packer. Straddle the following intervals individually and pump into perfs w/RC to insure intervals are open: 5537'-41', 5455'-91', 5439'-43', 5424'-26', 5400'-15', 5260'-5313', and 4964'-68'.

5. Straddle perfs 5330'-49' and acidize w/350 gal. inhibited 15% HCl mixed w/5 gal./1000 gal. L-37 scale inhibitor and 2 gal./1000 gal. W-35 NE agent (Or equivalent). Precede acid w/350 gal. fresh water preflush mixed w/5 gal./1000 gal. L-37. Over displace acid w/2 bbls. "preflush". Displace w/fresh or produced water. Swab spent acid water back immediately.

6. POOH w/RBP and packer. Run production tubing and land near 5500' ±. ND BOPE, NU wellhead, run pump and rods, and return well to production.

W. R. COFFELT

Form 9-331
(May 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.: U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

RECEIVED
OIL & GAS OPERATIONS
APR 19 1973
U.S. GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL [X] GAS WELL [ ] OTHER

7. UNIT AGREEMENT NAME: Red Wash

2. NAME OF OPERATOR: Chevron Oil Company - Western Division

8. FARM OR LEASE NAME: Red Wash Unit

3. ADDRESS OF OPERATOR: P. O. Box 599, Denver, Colorado 80201

9. WELL NO.: #3 (34-23B)

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface: 660' FSL & 2080' FEL (SW-1/4 SE-1/4)

10. FIELD AND POOL, OR WILDCAT: Red Wash Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA: Sec. 23, T7S, R23E, SLBM

14. PERMIT NO.:

15. ELEVATIONS (Show whether DF, RT, GR, etc.): KB 5611'

12. COUNTY OR PARISH: Uintah

13. STATE: Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:				SUBSEQUENT REPORT OF:			
TEST WATER SHUT-OFF	[ ]	PULL OR ALTER CASING	[ ]	WATER SHUT-OFF	[ ]	REPAIRING WELL	[ ]
FRACTURE TREAT	[ ]	MULTIPLE COMPLETE	[ ]	FRACTURE TREATMENT	[ ]	ALTERING CASING	[ ]
SHOOT OR ACIDIZE	[ ]	ABANDON*	[ ]	SHOOTING OR ACIDIZING	[ ]	ABANDONMENT*	[X]
REPAIR WELL	[ ]	CHANGE PLANS	[ ]	(Other) Expose Additional Sands			
(Other)	[ ]			(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)			

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

~~See the attached procedure:~~

The following work has been performed:

1. Cleaned out to 5555'.
2. Perforated the following intervals w/2 jets/ft: 5537'-41', 5486'-91', 5439'-43', 5424'-26', 5409'-15', 5400'-04', 5340'-49' & 5330'-37'.
3. Acidized perfs 5330'-49' w/350 gal. 15% HCL.
4. Ran 2-7/8" tubing to 5527'.

Production after workover: 206 BO, 46 BW, 295 MCF.

18. I hereby certify that the foregoing is true and correct

SIGNED Original Signed by J. W. GREER — TITLE J. W. Greer, Drilling Superintendent — DATE 4/17/73

(This space for Federal or State office use)

APPROVED BY Ed Guynn — TITLE ACTING DISTRICT ENGINEER — DATE APR 25 1973

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Form 9-331
(May 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.: U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL [X] GAS WELL [ ] OTHER

7. UNIT AGREEMENT NAME: Red Wash

2. NAME OF OPERATOR: Chevron U.S.A. Inc.

8. FARM OR LEASE NAME: Red Wash Unit

3. ADDRESS OF OPERATOR: P. O. Box 599, Denver, Co 80201

9. WELL NO.: #3 (34-23B)

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface: 660' FSL & 2080' FEL (SW¼SE¼)

10. FIELD AND POOL, OR WILDCAT: Red Wash Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA: Sec. 23, T7S, R23E, SLBM

RECEIVED JUL 6 1977 DIVISION OF OIL, GAS & MINING

14. PERMIT NO.:

15. ELEVATIONS (Show whether DF, RT, GR, etc.): KB 5611'

12. COUNTY OR PARISH: Uintah

13. STATE: Utah

16. **Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data**

NOTICE OF INTENTION TO:				SUBSEQUENT REPORT OF:			
TEST WATER SHUT-OFF		PULL OR ALTER CASING		WATER SHUT-OFF		REPAIRING WELL	
FRACTURE TREAT	X	MULTIPLE COMPLETE		FRACTURE TREATMENT		ALTERING CASING	
SHOOT OR ACIDIZE	X	ABANDON*		SHOOTING OR ACIDIZING		ABANDONMENT*	
REPAIR WELL		CHANGE PLANS		(Other)			
(Other)							

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

It is proposed to perforate and test one waterflood sand and to fracture stimulate the productive oil sands to increase production as follows:

1. MIR and POOH w/rods & tubing.
2. RIH w/bit and casing scraper. Clean out to 5555'.
3. Perforate interval 5494-5508' (see attached).
4. RIH w/RBP & Pkr to swab test interval 5494-5508'. Spot 300 gals 15% HCl on perfs. Swab back spent acid.
5. Evaluate to see if necessary to cement squeeze interval, 5494-5508'.
6. Bradenhead frac oil sands down 7" casing with 80,000 gals K-1 Super Emulsifrac fluid, 32,000# 100 mesh sand, 88,000# 20/40 sand, 24,000# 10/20 sand and 1200# Benzoic acid flakes-napthalene mix.
7. Clean out sand w/notched collar.
8. Place well on production.

APPROVED BY THE DIVISION OF OIL, GAS, AND MINING
DATE: July 8, 1977
BY: R. A. Smith

No additional surface disturbances required for this activity.

3 - USGS
2 - State
3 - Partners
1 - JCB
1 - DLD
1 - Sec 723
1 - File

18. I hereby certify that the foregoing is true and correct

SIGNED J. J. Johnson TITLE Engineering Assistant DATE June 30, 1977

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

WELL NAME: Red Wash Unit #3 (34-23B)

FIELD: Red Wash

PROPOSED PERFORATING PROCEDURE

1. Changes intended: Expose additional sand
2. Results anticipated: Increased production
3. Conditions of well which warrant such work: There is a possibility of an oil bank being pushed towards well at interval shown below as a result of water flooding.
4. To be ripped or shot: Shot
5. Depth, number and size of shots (or depth of rips): 3 shots/ft. 5494-5508'

6. Date last Log of well filed:
7. Anticipated additional surface disturbances: None
8. Estimated work date: July 15, 1977
9. Present production and status:

Date	BOPD	MCFD	BWPD
5/77	37	30	26

TAW 6/9/77

Form 9-331
(May 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL [X] GAS WELL [ ] OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
660' FSL & 2080' FEL (SW¼ SE¼)

5. LEASE DESIGNATION AND SERIAL NO.
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Red Wash Unit

9. WELL NO.
3 (34-23B)

10. FIELD AND POOL, OR WILDCAT
Red Wash Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec 23, T7S, R23E, SLBM

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
KB 5611'

16. **Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data**

NOTICE OF INTENTION TO:				SUBSEQUENT REPORT OF:			
TEST WATER SHUT-OFF	[ ]	PULL OR ALTER CASING	[ ]	WATER SHUT-OFF	[ ]	REPAIRING WELL	[ ]
FRACTURE TREAT	[ ]	MULTIPLE COMPLETE	[ ]	FRACTURE TREATMENT	XX	ALTERING CASING	[ ]
SHOOT OR ACIDIZE	[ ]	ABANDON*	[ ]	SHOOTING OR ACIDIZING	XX	ABANDONMENT*	[ ]
REPAIR WELL	[ ]	CHANGE PLANS	[ ]	(Other)			
(Other)				(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)			

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well was perforated, acidized and frac stimulated as follows:

1. MIR RU and POOH w/rods, tubing and pump.
2. RIH w/bit and casing scraper. Cleaned out to 5558'.
3. Perforated interval 5494-4408'. See attached.
4. RIH w/tubing, bridge plug and packer. Set plug at 5526' & pkr at 5492'.
5. RU Dowell & acidized w/300 gals 15% HCl. Spent acid swabbed back.
6. POOH w/bridge plug and packer.
7. Dowell bradenhead frac down casing using 80,000 gals K-1 Super Emulsifrac, fluid, 32,000# 100 mesh sand, 88,000# 20/40 sand, 24,000# 10/20 sand and 1200# Benzoic acid flakes-napthalene mix.
8. Sand cleaned out with notched collar.
9. Well placed on production.

3-USGS
2-State
3-Partners
1-JCB
1-DLD
1-Sec 723
1-File

No additional surface disturbances required for this activity.

18. I hereby certify that the foregoing is true and correct

SIGNED J. J. Johnson TITLE Engineering Assistant DATE 10/31/77

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

WELL NAME: Red Wash Unit #3 (34-23B)

FIELD: Red Wash

COMPLETED PERFORATING PROCEDURE

1. Depth, number and size of shots (or depths of rips): 3 shots per foot.

   5494'-5508'

2. Company doing work: Oil Well Perforators.

3. Date of work: September 6, 1977.

4. Additional surface distrubances: None.

5. Production after work:

Date	BOPD	MCFD	BWPD
9/77	44	30	9

JAM 6/8/76

Form 9-331
Dec. 1973

Form Approved.
Budget Bureau No. 42-R1424

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 660' FSL & 2080' FEL (SW SE)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

5. LEASE
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.
3 (34-23B)

10. FIELD OR WILDCAT NAME
Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 23, T7S, R23E SLBM

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
KB 5611

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	☐	☐
FRACTURE TREAT	☐	☐
SHOOT OR ACIDIZE	☒	☐
REPAIR WELL	☐	☐
PULL OR ALTER CASING	☐	☐
MULTIPLE COMPLETE	☐	☐
CHANGE ZONES	☐	☐
ABANDON*	☐	☐
(other)		

(NOTE: Report results of multiple completion or zone changes on Form 9-330.)

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING
DATE: Oct. 11, 1979
BY: [signature]

RECEIVED
OCT 11 1979
DIVISION OF OIL, GAS, & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to acidize well as follows:

1. MIR & RU. POOH w/rods and pumps. ND tree. NU BOPE. POOH w/tbg & anchor catcher.
2. RIH w/bit, casing scraper & workstring, clean out to PBTD (5555). Circulate hole. POOH.
3. RIH w/Pkr, RBP & workstring, straddle intervals and acidize. See attached.
4. RIH w/tbg, anchor catcher, rods & pump.
5. Place well on production.

No additional surface disturbances required for this activi y.

3 - USGS
2 - State
3 - Partners
1 - JCB
1 - Sec 723
1 - File

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [signature] TITLE Engineering Ass't DATE October 9, 1979

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

WELL NAME: Red Wash Unit 3 (34-23B)

FIELD: Red Wash

PROPOSED TREATMENT PROCEDURE

1. Objective: Increase production.

2. Size and type of treatment:

5439-91	2500 gals	7½% NE	5260-75	1000 gals	7½%
5400-26	900 gals	7½% NE	4940-68	300 gals	7½%
5330-49	1100 gals	7½% NE			
5290-5315	1500 gals	7½% NE			

3. Intervals to be treated:

4. Treatment down casing or tubing: Tubing.

5. Method of localizing its effects: RBP and Packer to straddle intervals and benzoic acid flakes to be used as diverting agents.

6. Disposal of treating fluid: Spent acid will be swabbed back to flat tank.

7. Name of company to do work: Dowell, Halliburton or Western.

8. Anticipated additional surface disturbances: None.

9. Estimated work date: Nov. 6, 1979.

10. Present status, current production and producing interval:

Date	BOPD	MCFD	BWPD
9/79	47		13

Form 9–331
Dec. 1973

Form Approved.
Budget Bureau No. 42–R1424

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)

1. oil well [X] gas well [ ] other

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 660' FSL & 2030' FEL (SWSE)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

5. LEASE
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.
3 (34-23B)

10. FIELD OR WILDCAT NAME
Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 23, T7S, R23E, SLBM

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.
43-047-05401

15. ELEVATIONS (SHOW DF, KDB, AND WD)
KB 5611

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	[ ]		[ ]
FRACTURE TREAT	[ ]		[ ]
SHOOT OR ACIDIZE	[ ]		[X]
REPAIR WELL	[ ]		[ ]
PULL OR ALTER CASING	[ ]		[ ]
MULTIPLE COMPLETE	[ ]		[ ]
CHANGE ZONES	[ ]		[ ]
ABANDON*	[ ]		[ ]
(other)			

(Note: Report results of multiple completion or zone change on Form 9–330.)

RECEIVED
FEB 15 1980
DIVISION OF OIL, GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was acidized as follows:

1. MIR & RU. POOH w/rods and pumps. ND tree. NU BOPE. POOH w/tbg & anchor catcher.
2. RIH w/bit, casing scraper & workstring, cleaned out to PBTD (5555). Circulate hole. POOH.
3. RIH w/pkr, RBP & workstring, straddle intervals and acidize. See attached.
4. RIH w/tbg, anchor catcher, rods & pump.
5. Placed well on production.

No additional surface disturbances required for this activity.

3-USGS
2-State
1-JCB
3-Partners
1-Sec. 723
1-File

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Yolanda J. Lemon TITLE Engineering Asst. DATE Feb. 6, 1980

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

WELL NAME Red Wash Unit 3 (34-23B)

FIELD NAME Red Wash

COMPLETED TREATMENT PROCEDURE

1. Size and type of treatment:

5439-91	2500 gal 7½% NE
5400-26	900 gal 7½% NE
5330-49	1100 gal 7½% NE
5290-5315	1500 gal 7½% NE
5260-75	1000 gal 7½% NE
4940-68	300 gal 7½% NE

2. Intervals treated:
See above.

3. Treatment down casing or tubing: Tubing

4. Methods used to localize effects: RBP and Packer to straddle intervals and benzoic acid flakes to be used as diverting agents.

5. Disposal of treating fluid: Spent acid will be swabbed back to flat tank.

6. Depth to which well was cleaned out: 5555

7. Date of work: 12-4-79 to 12-26-79

8. Company who performed work: Dowell

9. Production interval: 4940 - 5541

10. Status and production before treatment:

Date	BOPD	MCFD	BWPD
9/79	47	--	13

11. Status and production after treatment:

Date	BOPD	MCFD	BWPD
12/79	38		16

REPORT OF UNDESIRABLE EVENT

NTL-3A (EFFECTIVE MARCH 1, 1979)

To: District Engineer ~~U.S.G.S.~~ B.L.M. Fluid Minerals P. O. Box 1037 Vernal, Ut. 84078
From: Chevron U.S.A. Inc., P. O. Box 599, Denver, Colorado 80201

1. Spill X Discharge ____ Blowout ____ Accident ____ Fire or Explosion ____
2. BBLS Discharged: 15 bbls crude oil BBLS Lost: 0
3. Contained on location: Yes X No ____
4. Date and time of event: 12-3-84 mid afternoon; discovered 12-4-84 at 11:00 am.
5. Date and time reported to ~~U.S.G.S.~~: BLM 12-04-84 / 12:05 pm.
6. Location of event: Red Wash Unit / 34-23B Flowline
7. Specific nature and cause of event
   Flowline plugged and broke due to excess pressure.
8. Describe resultant damage:
   none
9. Time required for control of event: none upon discovery
10. Action taken to control and contain:
    Well shut in. Oil scooped up and placed in recovery pit at Central Battery.

    Note: No spilled material reached any navigable stream bed or tributary.
11. Action taken to prevent recurrence:
    Flowline repaired
12. Cause of death:

    N/A
13. Other agencies notified:
    Utah State Health Dept., Water Pollution Control / 12-4-84 / Don Hilden's office 12:1
    Utah Dept. of Natural Resources / 12-4-84 / John Baza / 12:35 pm. pm
    EPA Denver / 12-5-84 / 8:00 am / Floyd Nichols
14. Other pertinent information:

RECEIVED
DEC 06 1984
DIVISION OF
OIL, GAS & MINING

Signature R K Workowski Date 5 Dec. '84

Title Asst. Prod. Foreman.

SPILL REPORT TO REGULATORY AGENCIES
CHEVRON U.S.A. INC., CENTRAL REGION
P.O. BOX 599
DENVER, CO 80201

Field/Facility: Red Wash Unit/Well No. 34-23B Flowline

Location: **Township** 7S **Range** 23E **Section** 23 **QTR/QTR** SE SE

County: Uintah

State: Utah

Date of Spill/Time: 12/3/84 - Discovered 12/4/84 @ 11:00 a.m.

Fluid Spilled: **Oil** Crude 15 **Bbls, Water** 30 **Bbls, Other** _____ **Bbls**

Fluid Recovered: **Oil** Crude 15 **Bbls, Water** 0 **Bbls, Other** _____ **Bbls**

Agencies Notified/Date/Time:

Evironmental Protection Agency, Denver, CO: 12/4/84
Bureau of Land Management, Fluid Mineral, Vernal, UT: Cody Hansen, 12/4/84
Dept. of Health, Bur. of Water Pollution Control, Salt Lake City, UT: Nat Poll, 12/4/84
Dept. of Nat. Res., Div. of Oil, Gas & Mining, Salt Lake City, UT: John Baza, 12/4/84

How spill occurred:

The flowline from well No. 34-23B plugged and broke due to excess pressure.

Control and cleanup methods used:

The well was shut in and the flowline was repaired. All of the oil was scooped up and hauled to the Central Bettery disposal pit. All of the water soaked into the ground.

Estimated damage:

None. No fluids reached a navagable stream or tributary.

Action taken to prevent recurrence:

The flowline was repaired.

Who to contact for further information:

R. K. Wackowski
Chevron, U.S.A. Inc.
P.O. Box 455
Vernal, UT 84078
(801) 789-2442

12/5/84
Date Report Prepared

Chevron U.S.A. Inc.
700 South Colorado Blvd., P. O. Box 599, Denver, CO 80201

December 5, 1984

R. H. Elliott
Area Superintendent

State of Utah Department of Natural Resources
Division of Oil, Gas, and Mining
4241 State Office Building
Salt Lake City, UT 84114

Gentlemen:

The attached spill report will confirm our recent telephone report to your office of a spill of 15 barrels of crude oil and 30 barrels of produced water from the flowline of well number 34-23B located in the Red Wash Unit, Uintah County, Utah, on December 4, 1984, at 11:00 a.m.

Fifteen barrels of crude oil and 0 barrels of produced water were recovered. No spilled material reached any navigable stream bed or tributary.

Very truly yours,

R H Elliott/gro

SEO:pt
Attachment

cc: Mr. O. M. Paschke

Form 3160-5
(November 1983)
(Formerly 9-331)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL [X] GAS WELL [ ] OTHER

RECEIVED
APR 25 1985
DIVISION OF OIL GAS & MINING

2. NAME OF OPERATOR: Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR: P. O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface: 660' FSL & 2030' FEL (SWSE)

5. LEASE DESIGNATION AND SERIAL NO.: U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT AGREEMENT NAME: Red Wash

8. FARM OR LEASE NAME:

9. WELL NO.: 3 (34-23B)

10. FIELD AND POOL, OR WILDCAT: Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA: Sec. 23, T7S, R23E SLBM

14. PERMIT NO.: 43-047-05401

15. ELEVATIONS (Show whether DF, RT, GR, etc.): KB 5611'

12. COUNTY OR PARISH: Uintah

13. STATE: Utah

16. **Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data**

NOTICE OF INTENTION TO:				SUBSEQUENT REPORT OF:			
TEST WATER SHUT-OFF	[ ]	PULL OR ALTER CASING	[ ]	WATER SHUT-OFF	[ ]	REPAIRING WELL	[ ]
FRACTURE TREAT	[ ]	MULTIPLE COMPLETE	[ ]	FRACTURE TREATMENT	[ ]	ALTERING CASING	[ ]
SHOOT OR ACIDIZE	[ ]	ABANDON*	[ ]	SHOOTING OR ACIDIZING	[ ]	ABANDONMENT*	[ ]
REPAIR WELL	[ ]	CHANGE PLANS	[ ]	(Other)			
(Other) Replace flowline			[X]	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)			

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

We currently have two lines buried between "F" station in Sec. 26, T7S, R23E (NENE) and the RWU 3 (34-23B) well. One of these lines needs to be replaced because of corrosion leak problems. The other needs to be supplemented because it is too small. Chevron proposes to abandon the buried flowline to 34-23B in place.

There is an electric power line and an existing surface flowline right of way between these two facilities and Chevron proposes to install one 4", one 3" and two 1¼" heat trace lines in this existing right of way. The lines will be bundled and placed on 4" x 4" wood skids, insulated and wrapped with green childer. No surface disturbance will be required for this installation.

Your consideration and approval of this project is appreciated.

18. I hereby certify that the foregoing is true and correct

SIGNED K. K. Rudguist TITLE Permit Coordinator DATE April 23, 1985

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


R 23 E
T 7 S
CENTRAL BATTERY
24B Comp
Goso Plant
"EXHIBIT A"
Chevron U.S.A. Inc.
Red Wash Unit 3 (34-23B)
Sec. 23, T7S, R23E
Uintah County, Utah
Existing buried line
Proposed surface line
S.L.P.L.
3" Hot
4" Hot
6" Hot

RWU3 34-23E | Sec 23, T7S, R23E | E. Uty 10/17/88



Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
   Oil Well [ ] Gas Well [ ] Other [X] MULTIPLE WELLS SEE ATTACHED LIST
2. Name of Operator
   CHEVRON U.S.A. INC.
3. Address and Telephone No
   11002 E. 17500 S. VERNAL, UT 84078-8526 **(801) 781-4300**
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.
6. If Indian, Allottee or Tribe Name
   N/A
7. If Unit or CA, Agreement Designation
   RED WASH UNIT
   I-SEC NO 761
8. Well Name and No.
9. API Well No.
10. Field and Pool, or Exploratory Area
    RED WASH - GREEN RIVER
11. County or Parish, State
    UINTAH, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
[ ] Notice of Intent	[ ] Abandonment	[ ] Change of Plans
[X] Subsequent Report	[ ] Recompletion	[ ] New Construction
[ ] Final Abandonment Notice	[ ] Plugging Back	[ ] Non-Routine Fracturing
	[ ] Casing Repair	[ ] Water Shut-Off
	[ ] Altering Casing	[ ] Conversion to Injection
	[X] Other **CHANGE OF OPERATOR**	[ ] Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit.
The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
475 17th Street, Suite 1000
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.
By: Mitchell L. Solich
Mitchell L. Solich
President

RECEIVED
DEC 30 1999
DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed **A. E. Wacker** A. E. Wacker Title **Assistant Secretary** Date **12/29/99**

(This space for Federal or State office use)

Approved by: Title Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

***See instruction on Reverse Side**

United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED
FEB 07 2000
DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Red Wash Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU081	4304715152	24 (34-14B) RED WASH	SWSE	14	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730344	240 (12-36B) RED WAS	SWNW	36	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304730345	241 (22-14B) RED WAS	SENW	14	T 7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304730346	242 (42-13B) RED WAS	SENE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU02148	4304730347	243 (42-18C) RED WAS	SENE	18	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU02149	4304730348	244 (23-19C) RED WAS	NESW	19	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
~~UTSL071964~~	~~4304730349~~	~~245 (14-30C) RED WAS~~	~~SWSW~~	~~30~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
UTU02148	4304730387	246 (22-18C) RED WAS	SENW	18	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU02148	4304730388	247 (22-17C) RED WAS	SENW	17	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
~~UTU02149~~	~~4304730389~~	~~248 (43-20C) RED WAS~~	~~NESE~~	~~20~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
UTU082	4304716476	25 (23-23B) RED WASH	NESW	23	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
~~UTSL071965~~	~~4304730391~~	~~250 (41-29C) RED WAS~~	~~NENE~~	~~29~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
~~UTU0559~~	~~4304730457~~	~~257 (21-23A) RED WAS~~	~~NENW~~	~~23~~	~~T 7S~~	~~R22E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
UTU0559	4304730458	258 (34-22A) RED WAS	SWSE	22	T 7S	R22E	WIW	CHEVRON U S A INCORPORATED
STATE	4304732785	259	SWSW	16	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715153	26 (23-22B) RED WASH	NESW	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
STATE	4304732786	260	SWSE	16	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730517	262 (22-26B) RED WAS	SENW	26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730518	263 (24-26B) RED WAS	SESW	26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730519	264 (31-35B) RED WAS	NWNE	35	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0566	4304730520	265 (44-26B) RED WAS	SESE	26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730521	266 (33-26B) RED WAS	NWSE	26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304732981	267	SWNE	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730522	269 (13-26B) RED WAS	NWSW	26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715154	27 (43-14B) RED WASH	NESE	14	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731082	270 (22-35B) RED WAS	SENW	35	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731081	271 (42-35B) RED WAS	SENE	35	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731054	272 (44-23B) RED WAS	SESE	23	T 7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU0566	4304731051	273 (42-27B) RED WAS	SENE	27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
~~UTU0823~~	~~4304731083~~	~~274 (13-25B) RED WAS~~	~~NWSW~~	~~25~~	~~T 7S~~	~~R23E~~	~~P+A~~	~~CHEVRON U S A INCORPORATED~~
UTU0566	4304731077	275 (31-26B) RED WAS	NENW	26	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0566	4304731053	276 (44-27B) RED WAS	SESE	27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731076	278 (11-26B) RED WAS	NWNW	26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
STATE	4304731052	279 (11-36B) RED WAS	NWNW	36	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715155	28 (43-22B) RED WASH	NESE	22	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731079	280 (11-35B) RED WAS	NWNW	35	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
~~UTU0823~~	~~4304731078~~	~~281 (11-25B) RED WAS~~	~~NWNW~~	~~25~~	~~T 7S~~	~~R23E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
UTU0566	4304731080	282(42-26B) RED WAS	SENE	26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304732982	283	NESE	18	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU082	4304731476	284 (33-23B) RED WAS	NWSE	23	T 7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU082	4304731477	285 (11-24B) RED WAS	NWNW	24	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0567	4304731478	286 (42-21B) RED WAS	SENE	21	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731512	287 (44-13B) RED WAS	SESE	13	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731513	288 (24-27B) RED WAS	SESW	27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731517	289 (13-24B) RED WAS	NWSW	24	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715156	29 (32-23B) RED WASH	SWNE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
~~UTU082~~	~~4304731515~~	~~290 (12X-23B) RED WA~~	~~SWNW~~	~~23~~	~~T 7S~~	~~R23E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
~~UTU082~~	~~4304731516~~	~~291 (22X-23B) RED WA~~	~~SENW~~	~~23~~	~~T 7S~~	~~R23E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
UTU082	4304731576	292 (42-23B) RED WAS	SENE	23	T 7S	R23E	TA	CHEVRON U S A INCORPORATED

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0559	4304731581	293 (22-22A) RED WAS	SENW	22	T 7S	R22E	OSI	CHEVRON U S A INCORPORATED
UTU02148	4304731582	294 (24-18C) RED WAS	SESW	18	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304731577	295 (11-22B) RED WAS	NWNW	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731578	296 (12-35B) RED WAS	SWNW	35	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731579	297 (24-15B) RED WAS	SESW	15	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731679	298 (22-27B) RED WAS	SENW	27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304733018	299	SWNE	18	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715136	3 (34-23B) RED WASH	SWSE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715157	30 (23-13B) RED WASH	NESW	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731682	301 (43-15B) RED WAS	NESE	15	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731683	302 (22-24B) RED WAS	SENW	24	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304731819	303 (34-17B) RED WAS	SWSE	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0830	4304732538	305	NENE	4	T 8S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU093	4304732629	306	NESW	23	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
~~STATE~~	~~4304732632~~	~~307~~	~~SWSW~~	~~16~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
~~UTSL071965~~	~~4304732627~~	~~308~~	~~SESW~~	~~28~~	~~T 7S~~	~~R24E~~	~~P+A~~	~~CHEVRON U S A INCORPORATED~~
UTU081	4304715158	31 (34-22B) RED WASH	SWSE	22	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
~~UTSL071965~~	~~4304732628~~	~~311~~	~~NESW~~	~~26~~	~~T 7S~~	~~R24E~~	~~P+A~~	~~CHEVRON U S A INCORPORATED~~
~~UTSL071963~~	~~4304732595~~	~~312~~	~~SWNE~~	~~34~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
~~UTU02149~~	~~4304732630~~	~~313~~	~~NESW~~	~~20~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
~~UTSL071965~~	~~4304732626~~	~~314~~	~~SESW~~	~~29~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
UTU081	4304715160	33 (14-14B) RED WASH	SWSW	14	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715161	34 (23-14B) RED WASH	NESW	14	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715162	35 (43-13B) RED WASH	NESE	13	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715163	36 (32-13B) RED WASH	SWNE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
~~UTU0823~~	~~4304715164~~	~~37 (41-25B) RED WASH~~	~~NENE~~	~~25~~	~~T 7S~~	~~R23E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
UTU082	4304715165	38 (14-23B) RED WASH	SWSW	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0561	4304715166	39 (14-24A) RED WASH	SWSW	24	T 7S	R22E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715137	4 (41-22B) RED WASH	NENE	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715167	40 (21-24B) RED WASH	NENW	24	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715168	41 (34-13B) RED WASH	SWSE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTSL071965	4304715169	42 (21-29C) RED WASH	NENW	29	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU0116	4304715170	43 (12-17B) RED WASH	SWNW	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0829	4304715171	44 (32-33C) RED WASH	SWNE	33	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715172	45 (23-30B) RED WASH	NESW	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU080	4304715173	46 (41-21C) RED WASH	NENE	21	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715174	48 (32-19B) RED WASH	SWNE	19	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU02025	4304715175	49 (12-29B) RED WASH	SWNW	29	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715138	5 (41-23B) RED WASH	NENE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0559	4304715176	50 (14-23A) RED WASH	SWSW	23	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
STATE	4304715177	51 (12-16B) RED WASH	SWNW	16	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0116	4304715178	52 (14-18B) RED WASH	SWSW	18	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0561	4304715179	53 (41-25A) RED WASH	NENE	25	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
~~UTU0559~~	~~4304715181~~	~~55 (41-21A) RED WASH~~	~~NENE~~	~~21~~	~~T 7S~~	~~R22E~~	~~P+A~~	~~CHEVRON U S A INCORPORATED~~
UTU02030	4304715182	56 (41-28B) RED WASH	NENE	28	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02148	4304715183	57 (12-18C) RED WASH	SWNW	18	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU082	4304716477	59 (12-24B) RED WASH	SWNW	24	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0567	4304716482	6 (41-21B) RED WASH	NENE	21	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02025	4304715184	60 (43-30B) RED WASH	NESE	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0559	4304731581	293 (22-22A) RED WAS	SENW	22	T 7S	R22E	OSI	CHEVRON U S A INCORPORATED
UTU02148	4304731582	294 (24-18C) RED WAS	SESW	18	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304731577	295 (11-22B) RED WAS	NWNW	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731578	296 (12-35B) RED WAS	SWNW	35	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731579	297 (24-15B) RED WAS	SESW	15	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731679	298 (22-27B) RED WAS	SENW	27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304733018	299	SWNE	18	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715136	3 (34-23B) RED WASH	SWSE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715157	30 (23-13B) RED WASH	NESW	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731682	301 (43-15B) RED WAS	NESE	15	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731683	302 (22-24B) RED WAS	SENW	24	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304731819	303 (34-17B) RED WAS	SWSE	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0830	4304732538	305	NENE	4	T 8S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU093	4304732629	306	NESW	23	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
~~STATE~~	~~4304732632~~	~~307~~	~~SWSW~~	~~16~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
~~UTSL071965~~	~~4304732627~~	~~308~~	~~SESW~~	~~28~~	~~T 7S~~	~~R24E~~	~~P+A~~	~~CHEVRON U S A INCORPORATED~~
UTU081	4304715158	31 (34-22B) RED WASH	SWSE	22	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
~~UTSL071965~~	~~4304732628~~	~~311~~	~~NESW~~	~~26~~	~~T 7S~~	~~R24E~~	~~P+A~~	~~CHEVRON U S A INCORPORATED~~
~~UTSL071963~~	~~4304732595~~	~~312~~	~~SWNE~~	~~34~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
~~UTU02149~~	~~4304732630~~	~~313~~	~~NESW~~	~~20~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
~~UTSL071965~~	~~4304732626~~	~~314~~	~~SESW~~	~~29~~	~~T 7S~~	~~R24E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
UTU081	4304715160	33 (14-14B) RED WASH	SWSW	14	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715161	34 (23-14B) RED WASH	NESW	14	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715162	35 (43-13B) RED WASH	NESE	13	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715163	36 (32-13B) RED WASH	SWNE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
~~UTU0823~~	~~4304715164~~	~~37 (41-25B) RED WASH~~	~~NENE~~	~~25~~	~~T 7S~~	~~R23E~~	~~ABD~~	~~CHEVRON U S A INCORPORATED~~
UTU082	4304715165	38 (14-23B) RED WASH	SWSW	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0561	4304715166	39 (14-24A) RED WASH	SWSW	24	T 7S	R22E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715137	4 (41-22B) RED WASH	NENE	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715167	40 (21-24B) RED WASH	NENW	24	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715168	41 (34-13B) RED WASH	SWSE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTSL071965	4304715169	42 (21-29C) RED WASH	NENW	29	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU0116	4304715170	43 (12-17B) RED WASH	SWNW	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0829	4304715171	44 (32-33C) RED WASH	SWNE	33	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715172	45 (23-30B) RED WASH	NESW	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU080	4304715173	46 (41-21C) RED WASH	NENE	21	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715174	48 (32-19B) RED WASH	SWNE	19	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU02025	4304715175	49 (12-29B) RED WASH	SWNW	29	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715138	5 (41-23B) RED WASH	NENE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0559	4304715176	50 (14-23A) RED WASH	SWSW	23	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
STATE	4304715177	51 (12-16B) RED WASH	SWNW	16	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0116	4304715178	52 (14-18B) RED WASH	SWSW	18	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0561	4304715179	53 (41-25A) RED WASH	NENE	25	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
~~UTU0559~~	~~4304715181~~	~~55 (41-21A) RED WASH~~	~~NENE~~	~~21~~	~~T 7S~~	~~R22E~~	~~P+A~~	~~CHEVRON U S A INCORPORATED~~
UTU02030	4304715182	56 (41-28B) RED WASH	NENE	28	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02148	4304715183	57 (12-18C) RED WASH	SWNW	18	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU082	4304716477	59 (12-24B) RED WASH	SWNW	24	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0567	4304716482	6 (41-21B) RED WASH	NENE	21	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02025	4304715184	60 (43-30B) RED WASH	NESE	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING		
1. GLH		4-KAS
2. CDW ✓		5-~~SJ~~ ✓
3. JLT		6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold) Designation of Agent

Operator Name Change (Only) Merger

The operator of the well(s) listed below has changed, effective: **01-01-2000**

FROM: (Old Operator):
CHEVRON USA INC
Address: 11002 E. 17500 S.
VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300
Account No. N0210

TO: (New Operator):
SHENANDOAH ENERGY INC
Address: 11002 E. 17500 S.
VERNAL, UT 84078

Phone: 1-(435)-781-4300
Account N4235

CA No. **Unit:** **RED WASH**

WELL(S)

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
RWU 293 (22-22A)	43-047-31581	5670	22-07S-22E	FEDERAL	OW	TA
RWU 30 (23-13B)	43-047-15157	5670	13-07S-23E	FEDERAL	GW	TA
RWU 297 (24-15B)	43-047-31579	5670	15-07S-23E	FEDERAL	OW	P
RWU 301 (43-15B)	43-047-31682	5670	15-07S-23E	FEDERAL	GW	P
RWU 303 (34-17B)	43-047-31819	5670	17-07S-23E	FEDERAL	OW	P
RWU 299 (32-18B)	43-047-33018	5670	18-07S-23E	FEDERAL	OW	P
RWU 295 (11-22B)	43-047-31577	5670	22-07S-23E	FEDERAL	GW	S
RWU 31 (34-22B)	43-047-15158	5670	22-07S-23E	FEDERAL	OW	P
RWU 290 (12X-23B)	43-047-31515	5670	23-07S-23E	FEDERAL	OW	PA
RWU 291 (22X-23B)	43-047-31516	5670	23-07S-23E	FEDERAL	OW	PA
RWU 29 (32-23B)	43-047-15156	5670	23-07S-23E	FEDERAL	OW	P
RWU 292 (42-23B)	43-047-31576	5670	23-07S-23E	FEDERAL	GW	TA
RWU 3 (34-23B)	43-047-15136	5670	23-07S-23E	FEDERAL	OW	P
RWU 289 (13-24B)	43-047-31517	5670	24-07S-23E	FEDERAL	OW	P
RWU 302 (22-24B)	43-047-31683	5670	24-07S-23E	FEDERAL	GW	S
RWU 298 (22-27B)	43-047-31679	5670	27-07S-23E	FEDERAL	OW	TA
RWU 296 (12-35B)	43-047-31578	5670	35-07S-23E	FEDERAL	OW	P
RWU 307	43-047-32632	5670	16-07S-24E	STATE	GW	PA
RWU 294 (24-18C)	43-047-31582	5670	18-07S-24E	FEDERAL	GW	P
RWU 306	43-047-32629	5670	23-07S-24E	FEDERAL	GW	P
RWU 308	43-047-32627	5670	28-07S-24E	FEDERAL	GW	PA
RWU 305 (41-4F)	43-047-32538	5670	04-08S-24E	FEDERAL	GW	TA

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12-30-1999

2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08-09-2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database on:** 08-23-2000

4. Is the new operator registered in the State of Utah: YES Business Number: 224885

5. If **NO**, the operator was contacted contacted on: _____

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000

7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000

8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A

9. **Underground Injection Control ("UIC") Pro** The Division has approved UIC Form 5, **Transfer of Authority to Inject,** for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database on:** 09/20/2000

2. Changes have been entered on the **Monthly Operator Change Spread Sheet on:** 09/20/2000

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: 159261960

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
   The Division sent response by letter on: N/A

3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 03-09-01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold) — Designation of Agent/Operator

X Operator Name Change — Merger

The operator of the well(s) listed below has changed, effective: **2/1/2003**

FROM: (Old Operator):	**TO:** (New Operator):
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341

CA No. **Unit:** **RED WASH**

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P	
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P	
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA	
RWU 3 (34-23B)	**23**	**070S**	**230E**	**4304715136**	5670	Federal	OW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA	
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P	
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
3. The new company was checked on the **Department of Commerce, Division of Corporations Database on:** 6/19/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
5. If NO, the operator was contacted contacted on: ____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject,** for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database on:** 8/28/2003
2. Changes have been entered on the **Monthly Operator Change Spread Sheet on:** 8/28/2003
3. Bond information entered in RBDMS on: n/a
4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

QUESTAR

estar Exploration and Production Company
Independence Plaza
1050 17th Street, Suite 500
Denver, CO 80265
Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA	
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA	
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P	
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA	
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA	
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P	
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P	
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P	
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P	
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P	
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA	
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P	
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P	
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P	
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA	
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P	
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P	
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA	
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P	
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA	
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P	
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA	
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P	
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA	
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA	
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P	
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P	
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA	
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P	
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA	
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA	
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA	
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P	
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P	
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P	
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P	
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P	
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA	
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P	
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA	
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S	
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA	
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA	
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA	
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA	
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA	
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA	
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P	
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA	
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA	
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA	
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P	
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S	
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S	
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S	
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P	
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P	
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA	
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P	
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P	
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P	
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I	
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I	
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A	
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A	
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I	
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I	

United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed it name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure
bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron
UT922:TAThompson:tt:6/9/03

JUL 0 7 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.	:	Oil and Gas
1050 17th Street Suite 500	:	lease
Denver, Colorado 80265	:	

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/Wilbert B Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Unita Basin
MFO

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

Change of Operator (Well Sold) **X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective: **1/1/2007**

FROM: (Old Operator):	**TO:** (New Operator):
N2460-QEP Uinta Basin, Inc.	N5085-Questar E&P Company
1050 17th St, Suite 500	1050 17th St, Suite 500
Denver, CO 80265	Denver, CO 80265
Phone: 1 (303) 672-6900	Phone: 1 (303) 672-6900

CA No. **Unit:** **RED WASH UNIT**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
3. The new company was checked on the **Department of Commerce, Division of Corporations Database on:** 1/31/2005

4a. Is the new operator registered in the State of Utah: Business Number: 764611-0143

5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE

5b. Inspections of LA PA state/fee well sites complete on: n/a

5c. Reports current for Production/Disposition & Sundries on: n/a

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA

7. **Federal and Indian Units:**
   The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007

8. **Federal and Indian Communization Agreements ("CA"):**
   The BLM or BIA has approved the operator for all wells listed within a CA on:

9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject,** for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database on:** 4/30/2007 and 5/15/2007
2. Changes have been entered on the **Monthly Operator Change Spread Sheet on:** 4/30/2007 and 5/15/2007
3. Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
4. Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
5. Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024
2. Indian well(s) covered by Bond Number: 799446

3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033

3b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.
SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENW	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SENW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SENW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENW	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENW	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENW	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENW	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENW	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENW	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENW	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ OTHER	5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
	7. UNIT or CA AGREEMENT NAME: see attached
	8. WELL NAME and NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY	9. API NUMBER: attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	COUNTY: Uintah STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
☑ NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	☐ ACIDIZE	☐ DEEPEN	☐ REPERFORATE CURRENT FORMATION
	☐ ALTER CASING	☐ FRACTURE TREAT	☐ SIDETRACK TO REPAIR WELL
	☐ CASING REPAIR	☐ NEW CONSTRUCTION	☐ TEMPORARILY ABANDON
	☐ CHANGE TO PREVIOUS PLANS	☐ OPERATOR CHANGE	☐ TUBING REPAIR
	☐ CHANGE TUBING	☐ PLUG AND ABANDON	☐ VENT OR FLARE
☐ SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	☐ CHANGE WELL NAME	☐ PLUG BACK	☐ WATER DISPOSAL
	☐ CHANGE WELL STATUS	☐ PRODUCTION (START/RESUME)	☐ WATER SHUT-OFF
	☐ COMMINGLE PRODUCING FORMATIONS	☐ RECLAMATION OF WELL SITE	☑ OTHER: Operator Name Change
	☐ CONVERT WELL TYPE	☐ RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:
Federal Bond Number: 965002976 (BLM Reference No. ESB000024)
Utah State Bond Number: 965003033
Fee Land Bond Number: 965003033
Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry TITLE Supervisor, Regulatory Affairs

SIGNATURE DATE 3/16/2007

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING

(5/2000) (See Instructions on Reverse Side)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER: see attached	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached	
7. UNIT or CA AGREEMENT NAME: see attached	
1 TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ OTHER	8. WELL NAME and NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY	9. API NUMBER: attached
3 ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265	PHONE NUMBER: (303) 308-3068 / 10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL: FOOTAGES AT SURFACE: attached	COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
☑ NOTICE OF INTENT (Submit in Duplicate)	☐ ACIDIZE	☐ DEEPEN	☐ REPERFORATE CURRENT FORMATION
Approximate date work will start: 1/1/2007	☐ ALTER CASING	☐ FRACTURE TREAT	☐ SIDETRACK TO REPAIR WELL
	☐ CASING REPAIR	☐ NEW CONSTRUCTION	☐ TEMPORARILY ABANDON
	☐ CHANGE TO PREVIOUS PLANS	☐ OPERATOR CHANGE	☐ TUBING REPAIR
	☐ CHANGE TUBING	☐ PLUG AND ABANDON	☐ VENT OR FLARE
☐ SUBSEQUENT REPORT (Submit Original Form Only)	☐ CHANGE WELL NAME	☐ PLUG BACK	☐ WATER DISPOSAL
Date of work completion:	☐ CHANGE WELL STATUS	☐ PRODUCTION (START/RESUME)	☐ WATER SHUT-OFF
	☐ COMMINGLE PRODUCING FORMATIONS	☐ RECLAMATION OF WELL SITE	☑ OTHER: Well Name Changes
	☐ CONVERT WELL TYPE	☐ RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry TITLE Supervisor, Regulatory Affairs

SIGNATURE [signature] DATE 4/17/2007

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING

(5/2000) (See Instructions on Reverse Side)

United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

TAKE PRIDE IN AMERICA

IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure
bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files
UT922:TAThompson:tt:4/23/07

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
CDW

Change of Operator (Well Sold) — X - Operator Name Change

The operator of the well(s) listed below has changed, effective: **6/14/2010**

FROM: (Old Operator):	**TO:** (New Operator):
N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048

CA No. **Unit:** **RED WASH**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
3. The new company was checked on the **Department of Commerce, Division of Corporations Database on:** 6/24/2010
4a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
5a. (R649-9-2)Waste Management Plan has been received on: Requested
5b. Inspections of LA PA state/fee well sites complete on: n/a
5c. Reports current for Production/Disposition & Sundries on: ok
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
7. **Federal and Indian Units:**
   The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
8. **Federal and Indian Communization Agreements ("CA"):**
   The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
9. **Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject,** for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database on:** 6/30/2010
2. Changes have been entered on the **Monthly Operator Change Spread Sheet on:** 6/30/2010
3. Bond information entered in RBDMS on: 6/30/2010
4. Fee/State wells attached to bond in RBDMS on: 6/30/2010
5. Injection Projects to new operator in RBDMS on: 6/30/2010
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024
2. Indian well(s) covered by Bond Number: 965010693
3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
3b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER: See attached	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached	
7. UNIT or CA AGREEMENT NAME: See attached	
1 TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ OTHER	8. WELL NAME and NUMBER: See attached
2 NAME OF OPERATOR: Questar Exploration and Production Company N5085	9. API NUMBER: Attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 CITY Denver STATE CO ZIP 80265	PHONE NUMBER: (303) 672-6900
10. FIELD AND POOL, OR WILDCAT: See attached	

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See attached

COUNTY: Attached

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
☑ NOTICE OF INTENT (Submit in Duplicate)	☐ ACIDIZE	☐ DEEPEN	☐ REPERFORATE CURRENT FORMATION
Approximate date work will start: 6/14/2010	☐ ALTER CASING	☐ FRACTURE TREAT	☐ SIDETRACK TO REPAIR WELL
	☐ CASING REPAIR	☐ NEW CONSTRUCTION	☐ TEMPORARILY ABANDON
	☐ CHANGE TO PREVIOUS PLANS	☐ OPERATOR CHANGE	☐ TUBING REPAIR
	☐ CHANGE TUBING	☐ PLUG AND ABANDON	☐ VENT OR FLARE
☐ SUBSEQUENT REPORT (Submit Original Form Only)	☐ CHANGE WELL NAME	☐ PLUG BACK	☐ WATER DISPOSAL
Date of work completion:	☐ CHANGE WELL STATUS	☐ PRODUCTION (START/RESUME)	☐ WATER SHUT-OFF
	☐ COMMINGLE PRODUCING FORMATIONS	☐ RECLAMATION OF WELL SITE	☑ OTHER: Operator Name Change
	☐ CONVERT WELL TYPE	☐ RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:
Federal Bond Number: 965002976 (BLM Reference No. ESB000024) N3700
Utah State Bond Number: ~~965003033~~ 965010695
Fee Land Bond Number: ~~965003033~~ 965010695
BIA Bond Number: ~~799446~~ 965010693

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson TITLE Regulatory Affairs Analyst

SIGNATURE Morgan Anderson DATE 6/23/2010

(This space for State use only)

RECEIVED
JUN 2 8 2010
DIV. OF OIL, GAS & MINING

APPROVED 6/30/2009
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(5/2000) (See Instructions on Reverse Side)

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RW 34-23B	23	070S	230E	4304715136	5670	Federal	OW	P	
RW 41-23B	23	070S	230E	4304715138	5670	Federal	OW	P	
RW 32-22B	22	070S	230E	4304715139	5670	Federal	OW	P	
RW 43-23B	23	070S	230E	4304715140	5670	Federal	OW	P	
RW 32-17C	17	070S	240E	4304715145	5670	Federal	OW	P	
RW 34-26B	26	070S	230E	4304715148	5670	Federal	GW	TA	
RW 32-14B	14	070S	230E	4304715150	5670	Federal	OW	P	
RW 34-14B	14	070S	230E	4304715152	5670	Federal	OW	S	
RW 23-22B	22	070S	230E	4304715153	5670	Federal	OW	TA	
RW 43-22B	22	070S	230E	4304715155	5670	Federal	OW	P	
RW 32-23B	23	070S	230E	4304715156	5670	Federal	OW	P	
RW 23-13B	13	070S	230E	4304715157	5670	Federal	GW	TA	
RW 34-22B	22	070S	230E	4304715158	5670	Federal	OW	P	
RW 32-13B	13	070S	230E	4304715163	5670	Federal	GW	P	
RW 14-23B	23	070S	230E	4304715165	5670	Federal	OW	S	
RW 14-24A	24	070S	220E	4304715166	17554	Federal	OW	DRL	
RW 21-24B	24	070S	230E	4304715167	5670	Federal	OW	TA	
RW 34-13B	13	070S	230E	4304715168	5670	Federal	OW	P	
RW 21-29C	29	070S	240E	4304715169	5670	Federal	GW	P	
RW 12-17B	17	070S	230E	4304715170	5670	Federal	OW	P	
RW 32-33C	33	070S	240E	4304715171	5670	Federal	GW	P	
RW 14-23A	23	070S	220E	4304715176	5670	Federal	OW	P	
RW 12-18C	18	070S	240E	4304715183	5670	Federal	OW	P	
RW 21-22B	22	070S	230E	4304715186	5670	Federal	GW	TA	
RW 34-18B	18	070S	230E	4304715189	5670	Federal	OW	P	
RW 21-27B	27	070S	230E	4304715191	5670	Federal	OW	TA	
RW 23-22A	22	070S	220E	4304715192	5670	Federal	OW	P	
RW 21-18C	18	070S	240E	4304715193	5670	Federal	OW	P	
RW 12-13B	13	070S	230E	4304715196	5670	Federal	GW	S	
RW 32-18C	18	070S	240E	4304715198	5670	Federal	GW	P	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RW 32-28B	28	070S	230E	4304715200	5670	Federal	OW	P	
RW 12-27B	27	070S	230E	4304715201	5670	Federal	OW	TA	
RW 14-27B	27	070S	230E	4304715202	5670	Federal	OW	P	
RW 41-31B	31	070S	230E	4304715203	5670	Federal	OW	P	
RW 41-27A	27	070S	220E	4304715205	5670	Federal	OW	S	
RW 44-14B	14	070S	230E	4304715206	5670	Federal	GW	P	
RW 43-21B	21	070S	230E	4304715211	5670	Federal	OW	P	
RW 12-22A	22	070S	220E	4304715213	5670	Federal	OW	P	
RW 12-22B	22	070S	230E	4304715218	5670	Federal	OW	P	
RW 34-21B	21	070S	230E	4304715220	5670	Federal	OW	P	
RW 34-15B	15	070S	230E	4304715222	5670	Federal	OW	P	
RW 32-21B	21	070S	230E	4304715226	5670	Federal	OW	P	
RW 21-28B	28	070S	230E	4304715227	5670	Federal	OW	P	

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RW 23-23A	23	070S	220E	4304715228	5670	Federal	OW	P	
RW 32-24A	24	070S	220E	4304715229	5670	Federal	OW	P	
RW 32-28A	28	070S	220E	4304715230	5670	Federal	OW	S	
RW 21-19B	19	070S	230E	4304715233	5670	Federal	OW	P	
RW 43-29A	29	070S	220E	4304715236	5670	Federal	OW	S	C
RW 23-28B	28	070S	230E	4304715237	17525	Federal	OW	P	C
RW 13-13B	13	070S	230E	4304715238	5670	Federal	GW	P	
RW 24-14B	14	070S	230E	4304715239	5670	Federal	OW	P	
RW 41-29A	29	070S	220E	4304715243	5670	Federal	OW	P	
RW 14-15B	15	070S	230E	4304715246	5670	Federal	OW	P	
RW 41-34B	34	070S	230E	4304715250	5670	Federal	OW	P	
RW 41-30B	30	070S	230E	4304715254	5670	Federal	OW	P	
RW 24-22B	22	070S	230E	4304715255	5670	Federal	OW	P	
RW 33-14B	14	070S	230E	4304715257	5670	Federal	OW	P	
RW 21-18B	18	070S	230E	4304715258	5670	Federal	OW	TA	
RW 22-22B	22	070S	230E	4304715260	5670	Federal	OW	TA	C
RW 42-14B	14	070S	230E	4304715264	5670	Federal	OW	P	
RW 14-29B	29	070S	230E	4304715265	5670	Federal	OW	P	
RW 32-30B	30	070S	230E	4304715268	5670	Federal	OW	P	
RW 32-15B	15	070S	230E	4304715270	5670	Federal	OW	P	
RW 12-20B	20	070S	230E	4304715272	5670	Federal	OW	S	
RW 12-28B	28	070S	230E	4304715274	5670	Federal	OW	P	
RW 32-26B	26	070S	230E	4304715275	5670	Federal	GW	TA	
RW 31-28B	28	070S	230E	4304715283	5670	Federal	OW	TA	
RW 34-30B	30	070S	230E	4304715288	5670	Federal	OW	P	
RW 23-26B	26	070S	230E	4304715290	5670	Federal	GW	S	
RW 41-33A	33	070S	220E	4304715294	5670	Federal	OW	P	
RW 43-24B	24	070S	230E	4304715295	5670	Federal	GW	TA	
RW 12-14B	14	070S	230E	4304715296	5670	Federal	OW	S	
RW 32-28C	28	070S	240E	4304715302	5670	Federal	GW	P	
RW 23-25A	25	070S	220E	4304715305	5670	Federal	OW	P	
RW 41-8F	08	080S	240E	4304720014	5670	Federal	GW	P	
RW 44-21C	21	070S	240E	4304730149	5670	Federal	GW	S	
RW 13-27B	27	070S	230E	4304730199	5670	Federal	OW	TA	
RW 21-34B	34	070S	230E	4304730258	5670	Federal	OW	P	
RW 43-26B	26	070S	230E	4304730259	5670	Federal	OW	TA	
RW 14-18C	18	070S	240E	4304730309	5670	Federal	OW	P	
RW 12-26B	26	070S	230E	4304730311	5670	Federal	OW	TA	
RW 32-24B	24	070S	230E	4304730313	5670	Federal	OW	P	
RW 34-18C	18	070S	240E	4304730314	5670	Federal	OW	P	
RW 21-19C	19	070S	240E	4304730340	5670	Federal	GW	P	
RW 14-25B	25	070S	230E	4304730341	5670	Federal	OW	P	
RW 32-35B	35	070S	230E	4304730342	5670	Federal	OW	TA	
RW 12-36B	36	070S	230E	4304730344	5670	Federal	OW	S	

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RW 22-14B	14	070S	230E	4304730345	5670	Federal	OW	P	
RW 42-13B	13	070S	230E	4304730346	5670	Federal	OW	P	
RW 23-19C	19	070S	240E	4304730348	5670	Federal	GW	P	
RW 22-18C	18	070S	240E	4304730387	5670	Federal	OW	P	
RW 22-17C	17	070S	240E	4304730388	5670	Federal	GW	P	
RW 44-26B	26	070S	230E	4304730520	5670	Federal	GW	P	
RW 42-27B	27	070S	230E	4304731051	5670	Federal	OW	TA	
RW 44-27B	27	070S	230E	4304731053	5670	Federal	OW	TA	
RW 44-23B	23	070S	230E	4304731054	5670	Federal	GW	P	
RW 11-35B	35	070S	230E	4304731079	5670	Federal	OW	P	
RW 22-35B	35	070S	230E	4304731082	5670	Federal	OW	P	
RW 33-23B	23	070S	230E	4304731476	5670	Federal	GW	TA	
RW 11-24B	24	070S	230E	4304731477	5670	Federal	OW	P	
RW 42-21B	21	070S	230E	4304731478	5670	Federal	OW	P	
RW 13-24B	24	070S	230E	4304731517	5670	Federal	OW	P	
RW 42-23B	23	070S	230E	4304731576	5670	Federal	GW	TA	
RW 12-35B	35	070S	230E	4304731578	5670	Federal	OW	S	
RW 24-15B	15	070S	230E	4304731579	5670	Federal	OW	P	
RW 24-18C	18	070S	240E	4304731582	5670	Federal	GW	P	
RW 43-15B	15	070S	230E	4304731682	17643	Federal	GW	DRL	C
RW 34-17B	17	070S	230E	4304731819	5670	Federal	OW	P	
RW 41-4F	04	080S	240E	4304732538	5670	Federal	GW	TA	
RW 23-23C	23	070S	240E	4304732629	5670	Federal	GW	P	
RW 14-17B	17	070S	230E	4304732738	5670	Federal	OW	P	
RW 32-17B	17	070S	230E	4304732981	5670	Federal	OW	P	
RW 32-18B	18	070S	230E	4304733018	5670	Federal	OW	P	
RW 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RW 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RW 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RW 22-21B	21	070S	230E	4304733522	5670	Federal	OW	S	
RW 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RW 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RW 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RW 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RW 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RW 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RW 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RW 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RW 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RW 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RW 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	
RW 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RW 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RW 42-30B	30	070S	230E	4304733771	5670	Federal	OW	S	

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RW 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RW 34-27C	27	070S	240E	4304735045	5670	Federal	GW	P	
RW 34-22C	22	070S	240E	4304735098	5670	Federal	GW	P	
RW 34-23AG	23	070S	220E	4304735668	5670	Federal	OW	P	
RWU 32-27AG	27	070S	220E	4304735670	5670	Federal	OW	P	
RW 14-34AMU	34	070S	220E	4304735671	14277	Federal	GW	P	
RW 44-08FG	08	080S	240E	4304736349	15261	Federal	GW	P	
RW 34-34 AD	34	070S	220E	4304736351	16177	Federal	GW	P	
RW 33-31 BD	31	070S	230E	4304736357		Federal	GW	APD	C
RW 13-31 BD	31	070S	230E	4304736358		Federal	GW	APD	C
RW 21-26AD	26	070S	220E	4304736768	5670	Federal	OW	OPS	C
RW 43-26AG	26	070S	220E	4304736769	16575	Federal	OW	OPS	C
RW 43-23AG	23	070S	220E	4304736770	5670	Federal	OW	OPS	C
RW 41-26AG	26	070S	220E	4304736818	5670	Federal	OW	OPS	C
RW 04-25B	25	070S	230E	4304736982	17224	Federal	OW	P	
RW 34-27ADR	27	070S	220E	4304739445	16330	Federal	GW	P	
RW 32-29CD	29	070S	240E	4304739854		Federal	GW	APD	C
RW 24-10FD	10	080S	240E	4304739963		Federal	GW	APD	C
RW 34-20CD	20	070S	240E	4304739964		Federal	GW	APD	C
RW 32-20CD	20	070S	240E	4304739965		Federal	GW	APD	
RW 24-21CD	21	070S	240E	4304739966		Federal	GW	APD	C
RW 41-28CD	28	070S	240E	4304739967		Federal	GW	APD	C
RW 41-33CD	33	070S	240E	4304739968		Federal	GW	APD	C
RW 14-35 AMU	35	070S	220E	4304740051		Federal	GW	APD	C
RW 44-35 AMU	35	070S	220E	4304740052		Federal	GW	APD	
RW 12-17FG	17	080S	240E	4304740602		Federal	GW	APD	C

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695

United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
http://www.blm.gov/ut/st/en.html

TAKE PRIDE IN AMERICA

IN REPLY REFER TO:
3100
(UT-922)

JUL 2 8 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals Roger L Bankert

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM